

Birds of Vransko jezero

		Abbreviations below	HR_RED LIST 2010			INTERNATIONAL					
green: rare and accidental species			breeding	migrating	wintering	Bern	Bonn	EU dir	EU status	European status	Global status
Species	Français	tatus CR									
1 <i>Gavia stellata</i>	Plongeon catmarin	W			NA	II	II	I	(Depleted)	(Depleted)	
2 <i>Gavia arctica</i>	Plongeon arctique	W			LC	II	II	I	(VU)	(VU)	
3 <i>Tachybaptus ruficollis</i>	Grèbe castagneux	B, W	LC	NE	NE						
4 <i>Podiceps cristatus</i>	Grèbe huppé	B, W	LC	NE	NE	III					
5 <i>Podiceps grisegena</i>	Grèbe jougris	W, M		NE	NT*	II	II		(Declining)	(Declining)	
6 <i>Podiceps nigricollis</i>	Grèbe à cou noir	B, W	EN	NE	LC	II					
7 <i>Pelecanus crispus</i>	Pélican frisé	Ac	RE			II	I	I	Rare	Rare	VU
8 <i>Phalacrocorax carbo</i>	Grand cormoran	B, W	NT	NE	NE	III					
9 <i>Phalacrocorax aristotelis</i>	Cormoran huppé	B	LC			II		I			
10 <i>Phalacrocorax pygmaeus</i>	Cormoran pygmée	B, W	CR		LC*	II	II	I			
11 <i>Ardea cinerea</i>	Héron cendré	B, W	LC	NE	NE	III					
12 <i>Ardea purpurea</i>	Héron pourpré	B, M	EN	NE		II	II	I	(Declining)	(Declining)	
13 <i>Casmerodius albus</i>	Grande aigrette	B, W	EN	NE	LC*	II		I			
14 <i>Egretta garzetta</i>	Aigrette garzette	B, M	VU	NE	NA	II		I			
15 <i>Bubulcus ibis</i>	Aigrette barde-boeufs	Ac				II					
16 <i>Ardeola ralloides</i>	Héron crabier	B, M	EN	NE		II		I	(Declining)	(Declining)	
17 <i>Nycticorax nycticorax</i>	Héron bihoreau	B, M	NT	NE		II		I	Depleted	Depleted	
18 <i>Ixobrychus minutus</i>	Blongios nain	B, M	LC	NE		II	II	I	(Depleted)	(Depleted)	
19 <i>Botaurus stellaris</i>	Butor étoilé	B, W	EN	NE	NE	II	II	I	Depleted	Depleted	
20 <i>Ciconia nigra</i>	Cigogne noir	B, M	VU	NE		II	II	I	Rare	Rare	
21 <i>Ciconia ciconia</i>	Cigogne blanche	B	LC	NA		II	II	I	Depleted	Depleted	
22 <i>Plegadis falcinellus</i>	Ibis falcinelle	B, M	NA	EN*		II	II	I	(Declining)	(Declining)	
23 <i>Platalea leucorodia</i>	Spatule blanche	B, M	EN	NT*	NA	II	II	I	Rare	Rare	
24 <i>Phoenicopterus ruber</i>	Flamant rose	Ac				II	II	I	Localised	Localised	
25 <i>Cygnus olor</i>	Cygne tuberculé	B, W	LC		NE	III	II	II-2			
26 <i>Cygnus cygnus</i>	Cygne chanteur	W			NA	II	II	I			
27 <i>Anser fabalis</i>	Oie des moissons	W			LC	III	II	II-1			
28 <i>Anser albifrons</i>	Oie rieuse	W		NE	LC	III	II	II-2/III-1			

29	<i>Anser anser</i>	Oie cendrée	B, W	VU	NE	LC*	III	II	II-1/III-2			
30	<i>Tadorna tadorna</i>	Tadorne de Belon	W		NA	NA	II	II				
31	<i>Anas penelope</i>	Canard siffleur	M, W		LC	LC*	III	II	II-1/III-2			
32	<i>Anas strepera</i>	Canard chipeau	B, M, W	EN	NE	NA	III	II	II-1	(Depleted)	(Depleted)	
33	<i>Anas crecca</i>	Sarcelle d'hiver	M, W		LC	LC	III	II	II-1/III-2			
34	<i>Anas platyrhynchos</i>	Canard colvert	B, M, W	LC	LC	NE	III	II	II-1/III-1			
35	<i>Anas acuta</i>	Canard pilet	B-Re, M, W	RE	LC*	NA	III	II	II-1/III-2	(Declining)	(Declining)	
36	<i>Anas querquedula</i>	Sarcelle d'été	B, M	NT	NE	NA	III	II	II-1	(Declining)	(Declining)	
37	<i>Anas clypeata</i>	Canard souchet	B-Re, M, W	RE	NE	NA	III	II	II-1/III-2	(Declining)	(Declining)	
38	<i>Netta rufina</i>	Nette rousse	B, M, W	VU*	NA	NA	III	II	II-2			
39	<i>Aythya ferina</i>	Fuligule milouin	B, M, W	LC	NE	LC	III	II	II-1/III-2	(Declining)	(Declining)	
40	<i>Aythya nyroca</i>	Fuligule nyroca	B, M	NT	LC	NA	III	I, II	I	(VU)	(VU)	NT
41	<i>Aythya fuligula</i>	Fuligule morillon	B, M, W	NT*	NE	LC	III	II	II-1/III-2	(Declining)	(Declining)	
42	<i>Aythya marila</i>	Fuligule milouinan	W		NA	NA	III	II	II-2/III-2	EN	EN	
43	<i>Melanitta fusca</i>	Macreuse brune	W			NA	III	II	II-2	(Declining)	(Declining)	
44	<i>Bucephala clangula</i>	Garrot à oeil d'or	W			LC	III	II	II-2			
45	<i>Mergus serrator</i>	Harle huppé	W			LC	III	II	II-2			
46	<i>Mergus merganser</i>	Harle bièvre	B, W	CR		NA	III	II	II-2			
47	<i>Mergus albellus</i>	Harle piette	W			NA	II	II	I	(Declining)	(Declining)	
48	<i>Pandion haliaetus</i>	Balbusard pêcheur	B-Re, M	RE	NT*		II	II	I	Rare	Rare	
49	<i>Milvus milvus</i>	Milan royal	B-Re, M	RE	NA	NA	II	II	I	Declining	Declining	NT
50	<i>Milvus migrans</i>	Milan noir	B	EN	NA		II	II	I	(VU)	(VU)	
51	<i>Haliaeetus albicilla</i>	Pygargue à queue blanche	B	VU			II	I, II	I	Rare	Rare	
52	<i>Circus gallicus</i>	Circaète Jean-le-Blanc	B	EN			II	II	I	(Rare)	(Rare)	
53	<i>Circus aeruginosus</i>	Busard des roseaux	B, M, W	EN	LC	NA	II	II	I			
54	<i>Circus cyaneus</i>	Busard Saint-Martin	M, W		LC*	LC*	II	II	I	Depleted	Depleted	
55	<i>Circus pygargus</i>	Busard cendré	B	EN	NE	NA	II	II	I			
56	<i>Accipiter gentilis</i>	Autour (des Palombes)	B	LC		NA	II	II				
57	<i>Accipiter nisus</i>	Épervier	B, W	LC	NE	NE	II	II				
58	<i>Buteo buteo</i>	Buse variable	B, M, W	LC	NE	NE	II	II				
59	<i>Aquila clanga</i>	Aigle criard	W			CR	II	I, II	I		EN	VU
60	<i>Falco naumanni</i>	Faucon crécerellette	B-Re, M	CR	NA		II	I, II	I	Depleted	Depleted	
61	<i>Falco tinnunculus</i>	Faucon crécerelle	B, M	LC	NE	NE	II	II		Declining	Declining	
62	<i>Falco vespertinus</i>	Faucon Kobez	M		NT*		II	II		(VU)	(VU)	NT

63	<i>Falco columbarius</i>	Faucon émerillon	W		NE	VU*	II	II	I			
64	<i>Falco subbuteo</i>	Faucon hauberau	B, M	NT	NE		II	II				
65	<i>Falco biarmicus</i>	Faucon lanier	B, W	CR			II	II	I	VU	VU	
66	<i>Falco peregrinus</i>	Faucon pèlerin	B, W	VU*	NE	NE	II	II	I			
67	<i>Alectoris graeca</i>	Perdrix bartavelle	B	NT			III		I	(Declining)	(Declining)	NT
68	<i>Perdix perdix</i>	Perdrix grise	B	LC			III		II/III	VU	VU	
69	<i>Coturnix coturnix</i>	Caille des blés	B, M	LC	LC	NA	III	II	II-2	(Depleted)	(Depleted)	
70	<i>Phasianus colchicus</i>	Faisan de Colchide	B	NA			III		II-1/III-1			
71	<i>Grus grus</i>	Grue cendrée	M		LC	LC	II	II	I	(Depleted)	(Depleted)	
72	<i>Rallus aquaticus</i>	Râle d'eau	B, M, W	LC	NE	NE	III		II-2			
73	<i>Crex crex</i>	Râle de genêts	B, M	NT	NE		II	II	I	Depleted	Depleted	
74	<i>Porzana porzana</i>	Marouette ponctuée	B, M, W	EN	NE	NE	II	II	I			
75	<i>Porzana parva</i>	Marouette poussin	B, M	EN	D.D.	NA	II	II	I			
76	<i>Porzana pusilla</i>	Marouette de Baillon	B, M	CR	NE		II	II	I	(Rare)	(Rare)	
77	<i>Gallinula chloropus</i>	Poule d'eau	B, M, W	LC	NE	NE	III		II-2			
78	<i>Fulica atra</i>	Foulque macroule	B, M, W	LC	LC	LC	III	II*	II-1/III-2			
79	<i>Haematopus ostralegus</i>	Huitrier-pie	M		VU*		III		II-2			
80	<i>Himantopus himantopus</i>	Échasse blanche	B, M	VU*	NA		II	II	I			
81	<i>Recurvirostra avosetta</i>	Avocette	B, M	NA	NA		II	II	I			
82	<i>Burhinus oedicanus</i>	Oedicnème criard	B	EN	NA		II	II	I	VU	VU	
83	<i>Glaucula pratincola</i>	Glaréole à collier	M		NA		II	II	I	Declining	Declining	
84	<i>Glaucula nordmanii</i>	Glaréole à ailes noires	Ac				II	II		EN	EN	NT
85	<i>Vanellus vanellus</i>	Vanneau huppé	B, M, W	LC	LC	NE	III	II	II-2	VU	VU	
86	<i>Pluvialis apricaria</i>	Pluvier doré	M, W		NA	CR	III	II	I/II-2/III-2			
87	<i>Pluvialis squatarola</i>	Pluvier argenté	M, W		NT*	EN	III	II	II-2			
88	<i>Charadrius hiaticula</i>	Grand gravelot	M		NT*	NA	II	II				
89	<i>Charadrius dubius</i>	Petit gravelot	B, M	NT	NE		II	II				
90	<i>Charadrius alexandrinus</i>	Gravelot à collier interrompu	B	CR	NA		II	II		(Declining)	(Declining)	
91	<i>Scolopax rusticola</i>	Bécasse des bois	B, M, W	CR	LC	LC	III	II	II-1/III-2	(Declining)	(Declining)	
92	<i>Lymnocyptes minimus</i>	Bécassine sourde	M, W		NT*	VU*	III	II	II-1/III-2	(Declining)	(Declining)	
93	<i>Gallinago media</i>	Bécassine double	M		NA		II	II	I	Declining	Declining	NT
94	<i>Gallinago gallinago</i>	Bécassine des marais	B, M, W	CR	LC	LC	III	II	II-1/III-1	(Declining)	(Declining)	
95	<i>Limosa limosa</i>	Barge à queue noire	M		NT*		III	II	II-2	VU	VU	NT
96	<i>Limosa lapponica</i>	Barge rousse	W		NA	NA	III	II	I/II			

97	<i>Numenius phaeopus</i>	Courlis corlieu	M, W		VU*		III	II	II-2			
98	<i>Numenius arquata</i>	Courlis cendré	M, W		VU	EN	III	II	II-2	Declining	Declining	NT
99	<i>Tringa erythropus</i>	Chevalier arlequin	M		LC*		III	II	II-2	(Declining)	(Declining)	
100	<i>Tringa totanus</i>	Chevalier gambette	B, M, W	CR	LC	CR	III	II	II-2	Declining	Declining	
101	<i>Tringa stagnatilis</i>	Chevalier stagnatille	M		NT*		II	II				
102	<i>Tringa nebularia</i>	Chevalier aboyeur	M		LC*	NA	III	II	II-2			
103	<i>Tringa ochropus</i>	Chevalier cul-blanc	M, W		LC*	NT*	II	II				
104	<i>Tringa glareola</i>	Chevalier sylvain	M		LC		II	II	I	Depleted	Depleted	
105	<i>Xenus cinereus</i>	Bargette de Terek	Ac				II	II	I			
106	<i>Actitis hypoleucos</i>	Chevalier guignette	B, M, W	VU	NE	NA	II	II		(Declining)	(Declining)	
107	<i>Arenaria interpres</i>	Tournepieuvre à collier	M, W		NA	NA	II	II				
108	<i>Calidris canutus</i>	Bécasseau maubèche	M		NA		III	II	II-2	Declining	Declining	
109	<i>Calidris alba</i>	Bécasseau sanderling	M		NA		II	II				
110	<i>Calidris minuta</i>	Bécasseau minute	M		LC		II	II				
111	<i>Calidris temminckii</i>	Bécasseau de Temminck	M		LC*		II	II				
112	<i>Calidris ferruginea</i>	Bécasseau cocorli	M		LC*		II	II				
113	<i>Calidris alpina</i>	Bécasseau variable	M, W		LC	EN	II	II		(Depleted)	(Depleted)	
114	<i>Limicola falcinellus</i>	Bécasseau falcinelle	M		NA		II	II		(Declining)	(Declining)	
115	<i>Philomachus pugnax</i>	Chevalier combattant	M		LC	NA	III	II	I/II	(Declining)	(Declining)	
116	<i>Larus canus</i>	Goéland cendré	W		NA	LC	III		II-2	(Depleted)	(Depleted)	
117	<i>Larus michahellis</i>	Goéland méditerranéenne	B, W	LC	NE	NE						
118	<i>Chroicocephalus ridibundus</i>	Mouette rieuse	B, M, W	NT	LC	LC	III		II-2			
119	<i>Larus melanocephalus</i>	Mouette mélanocéphale	M		NE		II	II	I			
120	<i>Hydrocoloeus minutus</i>	Mouette pygmée	M, W		NE	NE	II			(Depleted)	(Depleted)	
121	<i>Gelochelidon nilotica</i>	Sterne hansel	M	NA	NA		II		I	(VU)	(VU)	
122	<i>Hydroprogne caspia</i>	Sterne caspienne	M		EN*		II	II	I	Rare	Rare	
123	<i>Sterna sandvicensis</i>	Sterne caugek	M, W		NE	NT*	II	II	I	Depleted	Depleted	
124	<i>Sterna hirundo</i>	Sterne pierregarin	B, M	NT*	NE		II	II	I			
125	<i>Sterna albifrons</i>	Sterne naine	B, M	EN	NA		II	II	I	Declining	Declining	
126	<i>Chlidonias hybridus</i>	Guifette moustac	B, M	NT	NA		II		I	Depleted	Depleted	
127	<i>Chlidonias leucopterus</i>	Guifette leucoptère	M	NA	NT*		II	II				
128	<i>Chlidonias niger</i>	Guifette noire	B-Re, M	NA	LC		II	II	I	(Depleted)	(Depleted)	

129	<i>Columba livia</i>	Pigeon biset	B	LC			III		II-1			
130	<i>Columba oenas</i>	Pigeon colombin	B, W	VU	NE	NE	III		II-2			
131	<i>Columba palumbus</i>	Pigeon ramier	B, M, W	LC	LC	NE			II-1/III-1			
132	<i>Streptopelia turtur</i>	Tourterelle des bois	B, M	LC	LC		III		II	Declining	Declining	
133	<i>Streptopelia decaocto</i>	Tourterelle turque	B	LC			III		II-2			
134	<i>Cuculus canorus</i>	Coucou gris	B, M	LC	LC		III					
135	<i>Tyto alba</i>	Chouette effraye	B, W	NT			II			Declining	Declining	
136	<i>Otus scops</i>	Hibou petit-dic	B, M	LC	NE		II			(Depleted)	(Depleted)	
137	<i>Bubo bubo</i>	Hibou grand-duc	B	NT			II		I	(Depleted)	(Depleted)	
138	<i>Athene noctua</i>	Chouette chevêche	B	NT			II			(Declining)	(Declining)	
139	<i>Asio otus</i>	Hibou moyen-duc	B	LC	NE	NE	II					
140	<i>Asio flammeus</i>	Hibou des marias	B	NA	NA	NE	II		I	(Depleted)	(Depleted)	
141	<i>Caprimulgus europaeus</i>	Engoulevent	B, M	LC	NE		II		I	(Depleted)	(Depleted)	
142	<i>Apus apus</i>	Martinet noir	B, M	LC	LC		III					
143	<i>Apus pallidus</i>	Martinet pale	B	LC			II					
144	<i>Tachymartitis melba</i>	Martinet alpin	B, M	LC			II					
145	<i>Alcedo atthis</i>	Martin-pêcheur	B, M, W	NT	LC	NE	II		I	Depleted	Depleted	
146	<i>Merops apiaster</i>	Guêpier d'europe	B, M	LC	NE		II	II		(Depleted)	(Depleted)	
147	<i>Coracias garrulus</i>	Rollier	B, M	CR	NA		II	II	I	VU	VU	NT
148	<i>Upupa epops</i>	Huppe fasciée	B, M	LC	LC		II			(Declining)	(Declining)	
149	<i>Jynx torquilla</i>	Torcol	B, M	LC	LC		II			(Declining)	(Declining)	
150	<i>Dendrocopos major</i>	Pic épeiche	B	LC			II					
151	<i>Melanocorypha calandra</i>	Alouette calandre	B	VU			II		I	(Declining)	(Declining)	
152	<i>Calandrella brachydactyla</i>	Alouette calandrelle	B	VU			II		I	Declining	Declining	
153	<i>Galerida cristata</i>	Cochevis huppé	B	LC			III			(Depleted)	(Depleted)	
154	<i>Lullula arborea</i>	Alouette lulu	B, W	LC	NE	NE	III		I	Depleted	Depleted	
155	<i>Alauda arvensis</i>	Alouette des champs	B, W	LC	NE	NE	III		II-2	(Depleted)	(Depleted)	
156	<i>Riparia riparia</i>	Hirondelle de rivage	B, M	VU	LC		II			(Depleted)	(Depleted)	
157	<i>Hirundo rupestris</i>	Hirondelle de rochers	B	LC			II					
158	<i>Hirundo rustica</i>	Hirondelle de cheminée	B, M	LC	LC		II			Depleted	Depleted	
159	<i>Hirundo daurica</i>	Hirondelle rousseline	B	LC*			II					
160	<i>Delichon urbicum</i>	Hirondelle de fenêtre	B, M	LC	LC		II			(Declining)	(Declining)	
161	<i>Motacilla flava</i>	Bergeronnette printanière	B, M	LC	LC		II					
162	<i>Motacilla citreola</i>	Bergeronnette citrine	Ac				II					
163	<i>Motacilla cinerea</i>	Bergeronnette des ruisseaux	B, W	LC	NE	NE	II					

164	<i>Motacilla alba</i>	Bergeronnette grise	B, M, W	LC	LC	NE	II						
165	<i>Anthus campestris</i>	Pipit rousseline	B	LC	NA		II		I		(Declining)	(Declining)	
166	<i>Anthus pratensis</i>	Pipit des prés	B, W		LC	LC	II						
167	<i>Anthus trivialis</i>	Pipit des arbres	B, M	LC	LC		II						
168	<i>Anthus spinoletta</i>	Pipit maritime	B, W	LC	LC*	NE	II						
169	<i>Lanius collurio</i>	Pie-grièche écorcheur	B, M	LC	NE		II		I		(Depleted)	(Depleted)	
170	<i>Lanius minor</i>	Pie-grièche à poitrine rose	B, M	LC	NE		II		I		(Declining)	(Declining)	
171	<i>Lanius excubitor</i>	Pie-grièche grise	W			LC	II				(Depleted)	(Depleted)	
172	<i>Lanius senator</i>	Pie-grièche à tête rousse	B	LC			II				(Declining)	(Declining)	
173	<i>Troglodytes troglodytes</i>	Troglodyte	B, M, W	LC	NE	NE	II						
174	<i>Prunella atrogularis</i>	Accenteur à gorge noire	Ac				II				(Rare)		
175	<i>Prunella modularis</i>	Accenteur mouchet	B, M, W	LC	LC	NE	II						
176	<i>Erithacus rubecula</i>	Rougegorge	B, M, W	LC	LC	NE	II	II					
177	<i>Erithacus luscini</i>	Rosignol progré	M		NA		II	II					
178	<i>Erithacus megarhynchos</i>	Rosignol philomèle	B, M	LC	LC		II	II					
179	<i>Erithacus svecica</i>	Gorgebleu	B, M	VU*	LC		II	II	I				
180	<i>Phoenicurus ochruros</i>	Rougequeue noir	B, M, W	LC	NE	NE	II	II					
181	<i>Phoenicurus phoenicurus</i>	Rougequeue à front blanc	B, M	LC	NE		II	II			(Depleted)	(Depleted)	
182	<i>Saxicola rubetra</i>	Traquet tarier	B, M	LC	LC		II	II					
183	<i>Saxicola rubicola</i>	Traquet patre	B, M, W	LC	LC	NE	II	II					
184	<i>Oenanthe oenanthe</i>	Traquet motteux	B, M	LC	LC		II	II			(Declining)	(Declining)	
185	<i>Oenanthe hispanica</i>	Traquet oreillard	B	LC			II	II			(Depleted)	(Depleted)	
186	<i>Monticola saxatilis</i>	Merle de roche	B	LC	NA		II	II			(Depleted)	(Depleted)	
187	<i>Monticola solitarius</i>	Merle bleue	B	LC			II	II			(Depleted)	(Depleted)	
188	<i>Turdus merula</i>	Merle noir	B, M, W	LC	LC	NE	III	II	II-2				
189	<i>Turdus pilaris</i>	Grive litorne	B, M, W	NA	LC	LC	III	II	II-2				
190	<i>Turdus iliacus</i>	Grive mauvis	M, W		NE	LC*	III	II	II-2				
191	<i>Turdus philomelos</i>	Grive muscienne	B, M, W	LC	LC	NE	III	II	II-2				
192	<i>Turdus viscivorus</i>	Grive draine	B, M, W	LC	NE	NE	III	II	II-2				
193	<i>Panurus biarmicus</i>	Mésange à moustaches	B, M, W	EN	NE	NE	II						
194	<i>Cettia cetti</i>	Bouscarle de Cetti	B	LC			II	II					
195	<i>Locustella luscinioides</i>	Locustelle lusciniode	B, M	LC	NE		II	II					
196	<i>Locustella fluviatilis</i>	Locustelle fluviatile	B	NT*	NE		II	II					

197	<i>Locustella naevia</i>	Locustelle tachetée	B, M	LC	NA		II	II				
198	<i>Acrocephalus paludicola</i>	Phragmite aquatique	M-Re, Ac		CR		II	I, II	I	VU	VU	VU
199	<i>Acrocephalus schoenobaenus</i>	Phragmite des joncs	B, M	LC	LC		II	II				
200	<i>Acrocephalus agricola</i>	Rousserolle Isabelle	Ac				II	II				
201	<i>Acrocephalus scirpaceus</i>	Rousserolle effervatte	B, M	LC	LC		II	II				
202	<i>Acrocephalus palustris</i>	Rousserolle verderolle	B, M	LC	NE		II	II				
203	<i>Acrocephalus melanopogon</i>	Lusciniole à moustaches	B, M, W	CR	NE	LC	II	II	I			
204	<i>Acrocephalus arundinaceus</i>	Rousserolle turdoïde	B, M	LC	LC		II	II				
205	<i>Hippolais icterina</i>	Hypolais icterine	B, M	VU*	LC		II	II				
206	<i>Hippolais polyglotta</i>	Hypolais polyglotte	B	LC			II	II				
207	<i>Iduna pallida</i>	Hypolais pale	B	LC			II	II		(Depleted)	(Depleted)	
208	<i>Iduna caligata</i>	Hypolais bottée	Ac				II	II				
209	<i>Sylvia nisoria</i>	Fauvette épervière	B, M	LC	NE		II	II	I			
210	<i>Sylvia hortensis</i>	Fauvette orphée	B, M	LC			II	II		(Depleted)	(Depleted)	
211	<i>Sylvia borin</i>	Fauvette des jardins	B, M	LC	LC		II	II				
212	<i>Sylvia atricapilla</i>	Fauvette à tête noire	B, M, W	LC	LC	NE	II	II				
213	<i>Sylvia communis</i>	Fauvette grisette	B, M	LC	NE		II	II				
214	<i>Sylvia curruca</i>	Fauvette babillarde	B, M	LC	NE		II	II				
215	<i>Sylvia melanocephala</i>	Fauvette mélancocéphale	B	LC			II	II				
216	<i>Sylvia cantillans</i>	Fauvette passerinette	B, M	LC			II	II				
217	<i>Phylloscopus trochilus</i>	Pouillot fitis	B, M	NT**	LC		II	II				
218	<i>Phylloscopus collybitus</i>	Pouillot véloce	B, M, W	LC	LC	NE	II	II				
219	<i>Phylloscopus sibilatrix</i>	Pouillot siffleur	B, M	LC	LC		II	II		(Declining)	(Declining)	
220	<i>Phylloscopus inornatus</i>	Pouillot à grands sourcils	Ac				II	II				
221	<i>Regulus regulus</i>	Roitelet huppé	B, M, W	LC	NE	NE	II	II				
222	<i>Regulus ignicapilla</i>	Roitelet triple-bandeau	B, M, W	LC	NE	NE	II	II				
223	<i>Cisticola juncidis</i>	Cisticole des joncs	B	LC*			II	II				
224	<i>Ficedula hypoleuca</i>	Gobemouche noir	M		LC		II	II				
225	<i>Ficedula albicollis</i>	Gobemouche à collier	B, M	LC	NE		II	II	I			
226	<i>Muscicapa striata</i>	Gobemouche gris	B, M	LC	LC		II	II		Depleted	Depleted	
227	<i>Aegithalos caudatus</i>	Mésange à longue queue	B	LC			III					

